





1. Approving Civil Aviation Authority/Country: FAA/United States	2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG	3. Form Tracking Number: 178856																														
4. Organization Name and Address: Aircraft Specialties, Inc., 9949 S 134th Street, Omaha, Nebraska 68138 CRS# VT2R252L		5. Work Order/Contract/Invoice Number: 178856																														
6. Item: 1	7. Description: WHEEL HALF ASSEMBLY	8. Part Number: 9532917																														
9. Quantity: 1	10. Serial Number: OCT79-925	11. Status/Work: Overhauled																														
12. Remarks: Work Order shown in Block 5 covers the work performed. Aircraft Specialties Inc. certifies that the work specified in Block 11/12 was carried out in accordance with EASA Part-145 and in respect to that work the component is considered ready for release under EASA Part-145 Approval Number: EASA 145.4105 The work prescribed was performed in accordance with the manufacturer's CMM: 32-46-16 REV 3 <table style="width: 100%; font-size: 0.8em;"> <tr> <td>QTY: 2</td> <td>PN: 13889 20-629</td> <td>Desc: BEARING</td> <td>QTY: 2</td> <td>PN: 9524218</td> <td>Desc: BEARING SEAL</td> </tr> <tr> <td>QTY: 8</td> <td>PN: AN960-516</td> <td>Desc: WASHER</td> <td>QTY: 4</td> <td>PN: AN5-15A</td> <td>Desc: BOLT</td> </tr> <tr> <td>QTY: 1</td> <td>PN: 9541874 BHM BUSHING</td> <td>Desc: BHM BUSHING</td> <td>QTY: 4</td> <td>PN: MS21045-5</td> <td>Desc: NUT</td> </tr> <tr> <td>QTY: 1</td> <td>PN: 637</td> <td>Desc: CAP</td> <td>QTY: 1</td> <td>PN: 5000699</td> <td>Desc: DATA PLATE</td> </tr> <tr> <td>QTY: 1</td> <td>PN: ASI OB 1 BLACK</td> <td>Desc: DATA PLATE</td> <td>QTY: 1</td> <td>PN: C4</td> <td>Desc: CORE</td> </tr> </table>			QTY: 2	PN: 13889 20-629	Desc: BEARING	QTY: 2	PN: 9524218	Desc: BEARING SEAL	QTY: 8	PN: AN960-516	Desc: WASHER	QTY: 4	PN: AN5-15A	Desc: BOLT	QTY: 1	PN: 9541874 BHM BUSHING	Desc: BHM BUSHING	QTY: 4	PN: MS21045-5	Desc: NUT	QTY: 1	PN: 637	Desc: CAP	QTY: 1	PN: 5000699	Desc: DATA PLATE	QTY: 1	PN: ASI OB 1 BLACK	Desc: DATA PLATE	QTY: 1	PN: C4	Desc: CORE
QTY: 2	PN: 13889 20-629	Desc: BEARING	QTY: 2	PN: 9524218	Desc: BEARING SEAL																											
QTY: 8	PN: AN960-516	Desc: WASHER	QTY: 4	PN: AN5-15A	Desc: BOLT																											
QTY: 1	PN: 9541874 BHM BUSHING	Desc: BHM BUSHING	QTY: 4	PN: MS21045-5	Desc: NUT																											
QTY: 1	PN: 637	Desc: CAP	QTY: 1	PN: 5000699	Desc: DATA PLATE																											
QTY: 1	PN: ASI OB 1 BLACK	Desc: DATA PLATE	QTY: 1	PN: C4	Desc: CORE																											
13a. Certifies the items identified above were manufactured in conformity to: ☐ Approved design data and are in a condition for safe operation ☐ Non-approved design data specified in Block 12.		14a. ☒ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.																														
13b. Authorized Signature: 	13c. Approval/Certificate No: VT2R252L	14b. Authorized Signature: 																														
13d. Name (Typed or Printed): Ivan Vilchis	13e. Date (dd/mm/yyyy): 23/Feb/2024	14c. Approval/Authorization No: VT2R252L																														
14d. Name (Typed or Printed): Ivan Vilchis	14e. Date (dd/mm/yyyy): 23/Feb/2024																															

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.