






KI 525A PICTORIAL NAVIGATION INDICATOR
 P/N 066-3046-00 S/N 8596
 TSO C6c D0138 ENV CAT DAMAAAXXXXXX WT.4.0LBS.
 MAX. DC VOLTS/CURRENT(LIGHTING):14V/.16A:28V/.16A

KING RADIO CORP.
 OLATHE, KANSAS U.S.A.

MODS	1	2	3	4	5
6	7	8	9	10	11
					12



AUTHORIZED RELEASE CERTIFICATE

FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG

1234 Clyde Jones Road • Sarasota, FL 34243

3. Form Tracking Number

N6848C

5. Work Order/Contract/Invoice Number

5940

7. Part Number:	8. Eligibility:	9. Quantity:	10. Serial/Batch Number:	11. Status/Work:
2046-00	TSD'd	1	8596	Repaired

d + Bench Checked to meet
man specs

Manufactured in conformity to:
Condition for safe operation
in Block 13.

19. 14 CFR 43.9 Return to Service Other regulation specified in Block 13.
Certifies that unless otherwise specified in Block 13, the work identified in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations part 43 and in respect to that work, the items are approved for return to service.

16. Approval/Authorization No:

20. Authorized Signature:

21. Approval/Certificate No:

QVORS57

18. Date (m/d/y):

22. Name (Typed or Printed):

Mark R. Hardy

23. Date (m/d/y):

12-1-2

User/Installer Responsibilities

This document alone does not automatically constitute authority to install the part/component/assembly in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the user/installer. The user/installer ensures that his/her airworthiness authority accepts part/component/assemblies from the airworthiness authority. This document does not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certificate signed by the user/installer before the aircraft may be flown.

*Installer must cross-check eligibility with applicable technical data

NSN