

INDICATOR, ENGINE 28 VDC  
LIGHTING 5 VDC

N1 0 TO 110% RPM

ITT 150 TO 800°C

TSO-C43b TSO-C49a

AMETEK, SELLERSVILLE, PA

S/N 131 MFD MAY 94

WEIGHT: 3.6 LBS MAX.

NP-404-CG

AMETEK P/N 10535N01M00

CESSNA P/N 9912430-1

NP-404-CH

WARRANTY VOID IF SEAL  
BROKEN OR DISTURBED  
316-682-7707 800-221-4678 ISO 9001 CERTIFIED



AIRCRAFT INSTRUMENTS SALES AND SERVICE  
7707 E. FUNSTON WICHITA, KS 67207  
REPAIR STATION #NU2R044L  
316-682-7707 800-221-4678  
OVH ☐ REP ☒ FT ☐  
Date 9-11-23 W/O # 525883  
AS 9100 / ISO 9001 Certified

15  
A-11



1. Approving Civil Aviation Authority/Country:		2.		3. Form Tracking Number:	
FAA/United States		<b>AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG</b>		0525883	
4. Organization Name and Address:				5. Work Order/Contract/Invoice Number:	
Aero-Mach Labs Inc. 7707 E Funston St Wichita, Kansas 67207 Certificate Number NU2R044L				0525883	
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number	11. Status/Work:
1	NI, I.T.T. INDICATOR	10535N01M00 9912430-1	1	131	REPAIRED
12. Remarks					
The work specified has been accomplished in accordance with 73-30-18 REV ORG. Aero-Mach Labs, Inc. certifies that the work specified in Blocks 11 and 12 was carried out in accordance with EASA Part-145 and in respect to that work, the component is considered ready for release to service under EASA Part-145 Approval Number EASA.145.4048. Full details held on work order 0525883.					
13a. Certifies the items identified above were manufactured in conformity to:			14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input checked="" type="checkbox"/> Other regulation specified in Block 12		
<input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12.			Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.		
13b. Authorized Signature:		13c. Approval/Authorization No.:		14b. Authorized Signature:	
					
13d. Name (Typed or Printed):		13e. Date (dd/mm/yyyy):		14c. Approval/Certificate No.:	
				NU2R044L	
13d. Name (Typed or Printed):		13e. Date (dd/mm/yyyy):		14d. Name (Typed or Printed):	
				LARRY MASSINGILL	
13d. Name (Typed or Printed):		13e. Date (dd/mm/yyyy):		14e. Date (dd/mm/yyyy):	
				11/Sep/2023	
User/Installer Responsibilities					
<p>It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.</p> <p>Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.</p> <p>Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.</p>					