ITEM	Authority / Country: FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG FAA/UNITED STATES			241	3. Form Tracking Number: 2415119	
24151 : 28 R: 2415	4 Organization Name Cessna Aircraft Cessna Parts Distribut 5800 E Pawnee, Wichit		5. Work Order	//Contract/Invoice Number: 930169		
119 PN 5119N	28 BOLT 8. Parl Number: 069-00400		10. Quantity	11. Serial/Batch Numbe	r. 12. Status/Work: New	
: 069	AIRWORTHINESS APPROVAL - PARTS. THIS FORM IS NOT AN EXPORT APPROVAL.					
-00400 N/A	PO# 23361					
A	14 Certifies the items identified above were manufactured in conformity to: Approved design data and are in a condition for safe operation. Approved design data specified in Block 13. Non-approved design data specified in Block 13. 14 CFR 43,9 Return to Service					
		pproval/Authorization No.: DA-100129-CE		zed Signature:	21. Approval/Certificate No.:	
	17. Name (Typed or Printed): THERESA A. MAVEC	18. Date (m/d/y): JUN/04/2009	22, Name (Typed or Printed):	23. Date (m/d/y):	
	User / Installer Responsibilities It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1 Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.					
E A	authority of the country specified in Block 1 Statements in Blocks 14 and 19 do not constitute installation cert	tification. In all cases, aircraft mainte	enance records	must contain an inst	tallation certification issued in	