

DU-870

Honeywell Intl. Inc.


DISPLAY UNIT

PART NO. 7014300 - 901 SN 00066754

WT 25.6 LB

TSO C63c C113, SOFTWARE LVL2 DO-160C[A1F1]VBA(PBS)XXXXXXAZAZAVZKXX 28VDC

MOD



MILLENNIUM INTERNATIONAL

FAA Repair Station EASA

EASA.145.4680

Work Order: WO-298606

Condition:

REPAIRED



MANAN QUINNICE 411 com

1. Approving Civil Aviation Authority/Country: FAA/United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG			3. Form Tracking Number: WO-298606	
4. Organiza	tion Name and Address:	Millennium International, LL 237 NW Blue Parkway Lee's Summit MO 64063		Tel: 816-524-7777 FAX: 816-554-0042 STATION: M7XR967N	5. Work Order/ Contract/ Invoice Number: P00152	
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:	
1	DISPLAY UN	TT 7014300-901	1	00066754	REPAIRED	
	ORTHINESS DIRECTIV	47-043 REV#:7 REV DATE: 08/Feb/2 TES APPLY				
The work of	rder listed in Rlock 3 at	pove describes the actual work number				
Millennium to that work 13a. Certifie o:	International, LLC certi the component is con the items identified about	prove describes the actual work performing that the work specified in block sidered ready for release to service use were manufactured in conformity	11/12 was carried out inder EASA Part-145 14a. X 14 CFR 43.9 R specified in Block 12 Certifies that unless of	in accordance with EA Approval Number: EAS deturn to Service	X Other regulation	
Millennium to that work 13a. Certifie 0: Ap No	International, LLC certi the component is con the items identified about proved design data and a n-approved design data s	fies that the work specified in block sidered ready for release to service use were manufactured in conformity re in a condition for safe operation.	11/12 was carried out inder EASA Part-145 14a. X 14 CFR 43.9 R specified in Block 12 Certifies that unless of Block 11 and described Title 14, Code of Feder	in accordance with EAS Approval Number: EAS deturn to Service therwise specified in Block d in Block 12 was accomp ral Regulations, part 43 a	SA 145.4680.	
Millennium to that work 13a. Certifie o: App No 13b. Authori	International, LLC certi- the component is con- sistentified above the items identified above proved design data and a n-approved design data se zed Signature:	fies that the work specified in block sidered ready for release to service use were manufactured in conformity re in a condition for safe operation. pecified in Block 12. 13c, Approval/Authorization No.:	11/12 was carried out inder EASA Part-145 14a. X 14 CFR 43.9 R specified in Block 12 Certifies that unless of Block II and described Title 14, Code of Feder the items are approved	in accordance with EA Approval Number: EAS Beturn to Service therwise specified in Block d in Block 12 was accomp ral Regulations, part 43 a d for return to service.	X Other regulation k 12, the work identified in lished in accordance with nd in respect to that work, 14c. Approval/Certificate No.:	
Millennium to that work 13a. Certifie o: App No 13b. Authori	International, LLC certi the component is con the items identified about proved design data and a n-approved design data s	fies that the work specified in block sidered ready for release to service use were manufactured in conformity re in a condition for safe operation. pecified in Block 12. 13c. Approval/Authorization	11/12 was carried out inder EASA Part-145 14a. X 14 CFR 43.9 R specified in Block 12 Certifies that unless of Block 11 and described Title 14, Code of Feder the items are approved 14b. Authorized Signs Wall Authorized or	in accordance with EA Approval Number: EAS Beturn to Service therwise specified in Block d in Block 12 was accomp ral Regulations, part 43 a d for return to service.	X Other regulation k 12, the work identified in lished in accordance with nd in respect to that work, 14c. Approval/Certificate No.: M7XR967N 14e. Date (dd/mmm/yyyy):	
Millennium to that work 3a. Certifie o: App No 13b. Authori	International, LLC certific the component is consistent in the items identified about the items identified about proved design data and an approved design data served Signature: [yped or Printed]:	fies that the work specified in block is sidered ready for release to service use were manufactured in conformity re in a condition for safe operation. pecified in Block 12. 13c. Approval/Authorization No.: 13e. Date (dd/mmm/yyyy):	11/12 was carried out under EASA Part-145 14a. X 14 CFR 43.9 R specified in Block 12 Certifies that unless of Block II and described Title 14, Code of Feder the items are approved 14b. Authorized Signs Wade I Wade I Wade I Wade I	in accordance with EAS Approval Number: EAS Return to Service therwise specified in Block d in Block 12 was accomp ral Regulations, part 43 a d for return to service. atture: Printed): L. Drake	X Other regulation k 12, the work identified in lished in accordance with nd in respect to that work, 14c. Approval/Certificate No.: M7XR967N 14e. Date (dd/mmm/yyyy): 09/Jan/2025	
Millennium to that work to that work (32). Certifie o: Apple No. 13b. Authorists 13d. Name (12). Authorists 13d. Name (12). Authorists 13d. Name (12). Authorists 13d. Name (13). Authorists 13d. Name (14). Authorists 13d. Name (15). Authorists 13d. Authorist	International, LLC certification of the component is consistent to the items identified about the items identified about proved design data and an approved design data succeed Signature: Lyped or Printed): It to understand that the electrarticle,	re in a condition for safe operation. pecified in Block 12. 13c. Approval/Authorization No.: 13e. Date (dd/mmm/yyyy): User/Installer Rexistence of this document alone does not	11/12 was carried out under EASA Part-145 14a. X 14 CFR 43.9 R specified in Block 12 Certifies that unless of Block 11 and described Title 14, Code of Feder the items are approved 14b. Authorized Signs 14d. Name (Typed or Wade I Responsibilities automatically constituted)	in accordance with EAS Approval Number: EAS Beturn to Service Therwise specified in Block It was accompanal Regulations, part 43 a It for return to service. Thermise specified in Block It was accompanal Regulations, part 43 a It for return to service.	X Other regulation k 12, the work identified in lished in accordance with nd in respect to that work, 14c. Approval/Certificate No.: M7XR967N 14e. Date (dd/mmm/yyyy): 09/Jan/2025	
Millennium to that work to that work 13a. Certifie o: Apple No 13b. Authoris 13d. Name (1) It is important ngine/propel to the country ngine(s)/propel atements in 1	International, LLC certi- the component is con- sthe items identified above the items identified above proved design data and a n-approved design data s zed Signature: Lyped or Printed): It to understand that the eler/article, r/installer performs worl specified in Block I, it is eller(s)/article(s) from the Blocks I3a and I4a do no	fies that the work specified in block is sidered ready for release to service use were manufactured in conformity re in a condition for safe operation. pecified in Block 12. 13c. Approval/Authorization No.: 13e. Date (dd/mmm/yyyy):	11/12 was carried out under EASA Part-145 14a. X 14 CFR 43.9 R specified in Block 12 Certifies that unless of Block 11 and described Title 14, Code of Feder the items are approved 14b. Authorized Signs Wade I. Wade I. Was a unionatically constitutions of an airworthine specified in Block 1,	in accordance with EAAApproval Number: EASAApproval Number: EASAApproval Number: EASAApproval Number: EASAAPPROVAL APPROVAL APPRO	X Other regulation k 12, the work identified in lished in accordance with nd in respect to that work, 14c. Approval/Certificate No.: M7XR967N 14e. Date (dd/mmm/yyyy) 09/Jan/2025 aircraft the airworthiness authorinate	