

WARNING
HIGH
VOLTAGE OUTPUT AMPERAGE
DISCONNECT INPUT CURRENT BEFORE
SERVICING
BEFORE OPERATING CONNECT OUTPUT
LEAD AND IGNITER PLUG
EXCITER, IGNITION

TYPE	TCN-1125	INPUT	14-29 VDC
CUST NO.	6899093	DUTY	CONT.
P/N, REV	10-614950-1 G	REPAIR	4XMR492D
SERIAL	UY07156035	STA. NO.	

REPLACEMENT PLATE

Originally Manufactured by:
UNISON INDUSTRIES 69501
Jacksonville, FL, USA

WARNING

VOLTAGE

HIGH

AMPERAGE

OUTPUT

**DISCONNECT INPUT CURRENT BEFORE
SERVICING**

**BEFORE OPERATING CONNECT OUTPUT
LEAD AND IGNITER PLUG**

EXCITER, IGNITION

TYPE

TCN-1125

INPUT

14-29 VDC

CUST NO.

6899093

DUTY

CONT.

P/N, REV

10-614950-1 G

REPAIR

4XMR492D


SERIAL

UY07156035

STA. NO.

REPLACEMENT PLATE

**Originally Manufactured by:
UNISON INDUSTRIES 59501
Jacksonville, FL, USA**

1. Approving Civil Aviation Authority/Country: FAA/United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG			3. Form Tracking Number: 2503-126678	
4. Organization Name and Address:		 IMX Aerospace FAA Cert. No. 4XMR492D EASA Cert. No. EASA.145.6859		3317 SW 11th Avenue Fort Lauderdale, Florida 33315 954.530.1278		
5. Work Order/Contract/Invoice Number:		WO 126678 RO P00295				
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:	
1	IGNITION EXCITER	10-614950-1	1	UY07156035	OVERHAULED	
12. Remarks:						
Overhauled in accordance with Unison ACMM No. 74-10-05, Revision 8, dated August 31, 2011, and Unison CMM No. 74-10-05, Revision 6, dated June 15, 2000. Complete details of maintenance work are found in Work Order No. 126678. Rolls-Royce Part No.: 6899093. Accomplished AD/SB/RS/Other: IMX RS X3007 (Rev. Original) IMX RS X3017 (Rev. Original) IMX RS X3018 (Rev. Original) Certifies that the work specified in Block 11/12 was carried out in accordance with EASA Part 145 and in respect to that work the article is considered ready for release to service under EASA Part 145 Approval No. EASA.145.6859.						
13a. Certifies the items identified above were manufactured in conformity to:			14a. ☒ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12			
☐ Approved design data and are in condition for safe operation. ☐ Non-approved design data specified in Block 12.			Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, Part 43 and in respect to that work, the items are approved for return to service.			
13b. Authorized Signature:		13c. Approval/Authorization No.:		14b. Authorized Signature:		
				 4XMR492D		
13d. Name (Typed or Printed):		13e. Date (dd/mm/yyyy):		14d. Name (Typed or Printed):		
				Francis S. Fernandez		
				07/Mar/2025		
User/Installer Responsibilities						
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						