



INDICATOR, FUEL, 28 VDC, LTG 5 VDC
FUEL FLOW 100 TO 1990 PPH
FUEL QTY 0 TO 3000 LBS

LEFT


EMPTY

FULL



J2

RIGHT



J1

LEFT

FULL

EMPTY

RIGHT

TSO-C44a, TSO-C55
SELLERSVILLE, PA
MFD JUN 94

CESSNA P/N 9912430-3
AMETEK P/N 10537N01M01
WT 2.35 LBS S/N 151

INDICATOR, FUEL, 28 VDC, LTG 5 VDC
FUEL FLOW 100 TO 1990 PPH
FUEL QTY 0 TO 3000 LBS

LEFT

LEFT

EMPTY

FULL

J2

J1

FULL


EMPTY

RIGHT

RIGHT

CESSNA P/N 9912430-3
AMETEK P/N 10537N01M01
WT 2.35 LBS S/N 151

TSO-C44a, TSO-C55
SELLERSVILLE, PA
MFD JUN 94

1. Approving Civil Aviation Authority/Country: FAA/UNITED STATES		2. AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG			3. Form Tracking Number: 0539267	
4. Organization Name and Address Aero-Mach Labs, Inc. 7707 E Funston St Wichita, Kansas 67207 Certificate Number NU2R044L				5. Work Order, Contract or Invoice Number: 0539267		
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial/Batch Number:	11. Status/Work	
1	FUEL QTY/FLOW INDICATOR	10537N01M01 9912430-3	1	151	REPAIRED	
12. REMARKS The work specified has been accomplished in accordance with 73-30-20 REV ORG. Aero-Mach Labs, Inc. certifies that the work specified in Blocks 11 and 12 was carried out in accordance with EASA Part-145 and in respect to that work, the component is considered ready for release to service under EASA Part-145 Approval Number EASA.145.4048. Full details held on work order 0539267.						
13a. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12.			14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input checked="" type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
13b. Authorized Signature		13c. Approval Authorization No:	14b. Authorized Signature 		14c. Approval/Certificate No. NU2R044L	
13d. Name (Typed or Printed):		13e. Date (dd/mmm/yyyy)	14d. Name (Typed or Printed): LARRY MASSINGILL		14e. Date (dd/mmm/yyyy) 29/Apr/2025	
User/Installer Responsibilities						
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						