



DANGER
OVERHEATING MAY RESULT
IN EXPLOSIVE FAILURE

150 02208

AS 88
95442076 6

WARNING


150 02208

AS 88
95442076 6

150 02208

R2-1



1. Approving Civil Aviation Authority/Country: FAA/United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG			3. Form Tracking Number: 192798																																											
4. Organization Name and Address: Aircraft Specialties, Inc., 9949 S 134th Street, Omaha, Nebraska 68138 CRS# VT2R252L					5. Work Order/Contract/Invoice Number: 192798																																											
6. Item: 1	7. Description: NOSE WHEEL	8. Part Number: 9544207-5	9. Quantity: 1	10. Serial Number: APR84-160/APR84-162	11. Status/Work: Overhauled																																											
12. Remarks: Work Order shown in Block 5 covers the work performed. Aircraft Specialties Inc. certifies that the work specified in Block 11/12 was carried out in accordance with EASA Part-145 and in respect to that work the component is considered ready for release under EASA Part-145 Approval Number: EASA 145.4105 The work prescribed was performed in accordance with the manufacturer's CMM: 32-46-14 REV 9 Parts not installed: Bearings, Bearing Seals <table border="0"> <tr> <td>QTY: 1</td> <td>PN: 5000699</td> <td>Desc: DATA PLATE</td> <td>QTY: 1</td> <td>PN: ASI OB 1 BLACK</td> <td>Desc: DATA PLATE</td> </tr> <tr> <td>QTY: 1</td> <td>PN: RG6</td> <td>Desc: GROMMET</td> <td>QTY: 1</td> <td>PN: 9535033</td> <td>Desc: DATA PLATE</td> </tr> <tr> <td>QTY: 1</td> <td>PN: C4</td> <td>Desc: CORE</td> <td>QTY: 1</td> <td>PN: 637</td> <td>Desc: CAP</td> </tr> <tr> <td>QTY: 8</td> <td>PN: MS20002-5</td> <td>Desc: WASHER</td> <td>QTY: 8</td> <td>PN: 22FH524</td> <td>Desc: NUT</td> </tr> <tr> <td>QTY: 8</td> <td>PN: MS20002C5</td> <td>Desc: WASHER</td> <td>QTY: 8</td> <td>PN: MS20005-26</td> <td>Desc: BOLT</td> </tr> <tr> <td>QTY: 16</td> <td>PN: 9544207 BHM BUSHING</td> <td>Desc: BHM BUSHING</td> <td>QTY: 2</td> <td>PN: 9544207 BHR</td> <td>Desc: 9544207 BOLT HOLE MOD HALF</td> </tr> <tr> <td></td> <td></td> <td></td> <td>QTY: 1</td> <td>PN: 13621 20-629</td> <td>Desc: BEARING CUP</td> </tr> </table>							QTY: 1	PN: 5000699	Desc: DATA PLATE	QTY: 1	PN: ASI OB 1 BLACK	Desc: DATA PLATE	QTY: 1	PN: RG6	Desc: GROMMET	QTY: 1	PN: 9535033	Desc: DATA PLATE	QTY: 1	PN: C4	Desc: CORE	QTY: 1	PN: 637	Desc: CAP	QTY: 8	PN: MS20002-5	Desc: WASHER	QTY: 8	PN: 22FH524	Desc: NUT	QTY: 8	PN: MS20002C5	Desc: WASHER	QTY: 8	PN: MS20005-26	Desc: BOLT	QTY: 16	PN: 9544207 BHM BUSHING	Desc: BHM BUSHING	QTY: 2	PN: 9544207 BHR	Desc: 9544207 BOLT HOLE MOD HALF				QTY: 1	PN: 13621 20-629	Desc: BEARING CUP
QTY: 1	PN: 5000699	Desc: DATA PLATE	QTY: 1	PN: ASI OB 1 BLACK	Desc: DATA PLATE																																											
QTY: 1	PN: RG6	Desc: GROMMET	QTY: 1	PN: 9535033	Desc: DATA PLATE																																											
QTY: 1	PN: C4	Desc: CORE	QTY: 1	PN: 637	Desc: CAP																																											
QTY: 8	PN: MS20002-5	Desc: WASHER	QTY: 8	PN: 22FH524	Desc: NUT																																											
QTY: 8	PN: MS20002C5	Desc: WASHER	QTY: 8	PN: MS20005-26	Desc: BOLT																																											
QTY: 16	PN: 9544207 BHM BUSHING	Desc: BHM BUSHING	QTY: 2	PN: 9544207 BHR	Desc: 9544207 BOLT HOLE MOD HALF																																											
			QTY: 1	PN: 13621 20-629	Desc: BEARING CUP																																											
13a. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 12.			14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input checked="" type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.																																													
13b. Authorized Signature:		13c. Approval/Certificate No:		14b. Authorized Signature: 		14c. Approval/Authorization No: VT2R252L																																										
13d. Name (Typed or Printed):		13e. Date (dd/mm/yyyy):		14d. Name (Typed or Printed): Jacob Pollard		14e. Date (dd/mm/yyyy): 04/May/2026																																										

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.
Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.
Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.